

# HEAVY DUTY SYSTEMS



## GAS EQUIPMENT



HEAVY DUTY SYSTEMS

[sales@heavydutysys.com](mailto:sales@heavydutysys.com)



**HDSGR-24**

### Gas burners with oven

- Fully MIG welded frame for stability
- Stainless steel front, back-riser, galvanized sides
- 6" stainless steel adjustable heavy duty legs
- Four open top burners, each 30,000 BTU/hr
- Coved pilot burner cover to prevent clogging from spillage
- Stainless steel pilot for durability
- Heavy duty cast grates, 12" x 12" (30x30cm) in size, easy to be removed
- Pull out crumb tray with rounded edges to prevent heat transfer
- 31,000 BTU/hr. U-shape burner for bottom oven
- Full size sheet pans fit side-to-side or front-to-back.
- Oven thermostat adjusts from 250°F to 550°F
- Two oven racks and four rack positions
- Optional with castors

Model	Description	Total input (btu/hr)	Product (WxDxH)	Packing (WxDxH)	NW	GW
HDSGR-24	4 burners with oven	151,000	609 x 830 x 1520 mm 24 x 32.7 x 60 inch	720 x 1010 x 1320 mm 28.3 x 39.8 x 15.6 inch	132 kg 290 lbs	162 kg 411 lbs



**HDSGR-36**

### Gas burners with oven

- Fully MIG welded frame for stability
- Stainless steel front, back-riser, galvanized sides
- 6" stainless steel adjustable heavy duty legs
- Six open top burners, each 30,000 BTU/hr
- Coved pilot burner cover to prevent clogging from spillage
- Stainless steel pilot for durability
- Heavy duty cast grates, 12" x 12" (30x30cm) in size, easy to be removed
- Pull out crumb tray with rounded edges to prevent heat transfer
- 31,000 BTU/hr. U-shape burner for bottom oven
- Full size sheet pans fit side-to-side or front-to-back.
- Oven thermostat adjusts from 250°F to 550°F
- Two oven racks and four rack positions
- Optional with castors

Model	Description	Total input (btu/hr)	Product (WxDxH)	Packing (WxDxH)	NW	GW
HDSGR-36	6 burners with oven	211,000	915 x 829 x 1520 mm 36 x 32.6 x 60 inch	1040 x 1010 x 1320 mm 41 x 39.8 x 52 inch	167 kg 367 lbs	207 kg 455 lbs



**HDSHP-424**

## Gas hotplate

- Round cast iron burner, each 26,500 BTU/hr
- 12"x24" (30x60cm) cast iron grate
- Standby pilot for easy start
- Stainless steel adjustable heavy duty legs
- Zinc alloy knob with chrome coating
- Crumb tray at the bottom
- Easy conversion from natural gas to Propane or vice versa
- Stainless steel in the front and sides
- Available in 2, 4 and 6 burners

Model	Description	Total input (btu/hr)	Product (WxDxH)	Packing (WxDxH)	NW	GW
HDSHP-212	Gas hotplate	53,000	305 x 734 x 376 mm 12 x 8.9 x 14.8 inch	420 x 890 x 460 mm 16.5 x 35 x 18.1 inch	34 kg 75 lbs	41 kg 90 lbs
HDSHP-424	Gas hotplate	106,000	610 x 734 x 376 mm 24 x 28.9 x 14.8 inch	720 x 890 x 460 mm 28.3 x 35 x 18.1 inch	59 kg 130 lbs	71 kg 156 lbs
HDSHP-636	Gas hotplate	159,000	915 x 734 x 376 mm 36 x 28.9 x 14.8 inch	1020 x 890 x 460 mm 40.2 x 35 x 18.1 inch	92 kg 202 lbs	115 kg 253 lbs



**HDSFGH-150S**

## Gas split tank fryer

- Stainless steel front and galvanized sides
- Vertical cast iron burner, each 30,000 BTU/hr
- Stainless steel vat, split tank
- 6" stainless steel adjustable heavy duty legs
- Tube design with baffles inside for better heat transfer
- Continuous pilot for easy start of main flame
- Chromed basket with plastic coating handle
- Cold zone to prevent scorching of food particles at the bottom
- Prompt temperature recovery to make sure fries are crispy
- 3/4 drain cock for easy drainage of oil
- Thermostat adjusts from 200 - 400°F ( 93 - 204°C)
- 450°F (232°C ) hi-limiter guarantees safety

Model	Description	Total input (btu/hr)	Product (WxDxH)	Packing (WxDxH)	NW	GW
HDSFGH-150S	Gas split tank fryer	120,000	534 x 764 x 1195 mm 60 x 32.6 x 47 inch	610 x 830 x 860 mm 24 x 32.7 x 33.9 inch	71 kg 156 lbs	83 kg 183 lbs
HDSFGH-120S	Gas split tank fryer	120,000	396 x 711 x 1168 mm 16 x 28 x 46 inch	457 x 838 x 860 mm 18 x 33 x 34 inch	65 kg 143 lbs	72 kg 158 lbs



**HDSCTG-24**

## Gas manual griddle

- Steel U-shape burner, each 30,000 BTU/hr for better heat distribution
- One control every 12"
- Standby pilot for easy start
- 3/4" thickness griddle plate
- Stainless steel adjustable heavy duty legs
- Zinc alloy knob with chrome coating
- Oil collector at the bottom
- Easy conversion from natural gas to Propane or vice versa
- Stainless steel in the front and sides
- Available in 24", 36", 48" and 60" width
- Manual control

Model	Description	Total input (btu/hr)	Product (WxDxH)	Packing (WxDxH)	NW	GW
HDSCTG-12	Gas manual griddle	30,000	310 x 761 x 412 mm 12.2 x 30 x 16.2 inch	440 x 890 x 520 mm 17.3 x 35 x 20.5 inch	45 kg 99 lbs	52 kg 114 lbs
HDSCTG-24	Gas manual griddle	60,000	610 x 761 x 412 mm 24 x 30 x 16.2 inch	890 x 890 x 520 mm 35 x 35 x 20.5 inch	80 kg 176 lbs	103 kg 227 lbs
HDSCTG-36	Gas manual griddle	90,000	915 x 761 x 412 mm 36 x 30 x 16.2 inch	1070 x 890 x 520 mm 42.1 x 35 x 20.5 inch	110 kg 242 lbs	143kg 315 lbs
HDSCTG-48	Gas manual griddle	120,000	1220 x 761 x 412 mm 48 x 30 x 16.2 inch	1340 x 890 x 520 mm 52.8 x 35 x 20.5 inch	152 kg 334 lbs	187kg 411 lbs
HDSCTG-60	Gas manual griddle	150,000	1525 x 761 x 412 mm 60 x 30 x 16.2 inch	1640 x 890 x 520 mm 64.6 x 35 x 20.5 inch	180 kg 396 lbs	220kg 484 lbs



**HDSGCBLR-36**

## Gas Lava Rock Broiler

- Stainless steel front and sides
- Cast iron straight burner, each 20,000 BTU/hr
- Lava rock to retain heat
- Standby S/S pilot
- 5 1/4" wide cast iron grates, can be reversed for different food
- Independent control valve for every 6" cooking zone
- Adjustable heavy duty legs
- Full width crumb tray at the bottom
- Durable brass control valve
- Easy access to pilot valve adjustment screws
- Easy gas conversion in field
- 3/4" NPT rear gas connection
- Shipped with gas regulator and lava rock kit

Model	Description	Total input (btu/hr)	Product (WxDxH)	Packing (WxDxH)	NW	GW
HDSGCBLR-14	Gas Lava Rock broiler	40,000	356 x 745 x 400 mm 14 x 29.3 x 15.7 inch	460 x 890 x 530 mm 18 x 35 x 21 inch	22 kg 49 lbs	36 kg 80 lbs
HDSGCBLR-24	Gas Lava Rock broiler	80,000	605 x 745 x 400 mm 23.8 x 29.3 x 15.7 inch	762 x 890 x 530 mm 30 x 35 x 21 inch	82 kg 181 lbs	102 kg 225 lbs
HDSGCBLR-36	Gas Lava Rock broiler	120,000	910 x 745 x 400 mm 35.8 x 29.3 x 15.7 inch	1040 x 890 x 530 mm 41 x 35 x 21 inch	120 kg 265 lbs	145 kg 320 lbs
HDSGCBLR-48	Gas Lava Rock broiler	160,000	1220 x 745 x 400 mm 48 x 29.3 x 15.7 inch	1320 x 890 x 530 mm 52 x 35 x 21 inch	157 kg 346 lbs	187 kg 412 lbs
HDSGCBLR-60	Gas Lava Rock broiler	200,000	1525 x 745 x 400 mm 60 x 29.3 x 15.7 inch	1650 x 890 x 530 mm 65 x 35 x 21 inch	186 kg 410 lbs	220 kg 483 lbs



## Heavy Duty Systems

Address:  
143 West 29th Street  
New York  
NY 10001

Tel: 212.924.6920  
Fax: 212.627.1759  
[sales@heavydutysys.com](mailto:sales@heavydutysys.com)